

FIELD CROP ABSTRACTS

COMPILED FROM WORLD LITERATURE

VOLUME 25, 1972

INCLUDING
ANNUAL INDEXES



Prepared by

**COMMONWEALTH BUREAU OF PASTURES AND FIELD CROPS,
HURLEY, MAIDENHEAD, BERKS SL6 5LR**

Published quarterly by

Commonwealth Agricultural Bureaux, Farnham Royal, Bucks, England

SUBSCRIPTION RATES

C.A.B. JOURNALS

The journals published by the C.A.B provide a total of well over 100,000 abstracts and citations by title each year, and constitute the only comprehensive coverage in English of the world literature of agriculture and related sciences. They are available at prices well below the cost of production (except *Food Science and Technology Abstracts*) because C.A.B. is heavily subsidized by contributing countries.*

Title	Annual Subscription	
	Rate to subscribers in non-contributing countries	Rate to subscribers in contributing countries
<i>Review of Applied Entomology</i>		
Series A—Agricultural (Monthly)	£26	\$67-50
Series B—Medical and Veterinary (Monthly)	£10	\$26-00
<i>Bulletin of Entomological Research</i> (Quarterly)	£10	\$26-00
<i>Review of Plant Pathology</i> (formerly <i>Review of Applied Mycology</i>) (Monthly)	£31	\$80-50
<i>Review of Medical and Veterinary Mycology</i> (Quarterly)	£10	\$26-00
<i>Helminthological Abstracts</i>		
Series A—Animal and Human Helminthology (Quarterly)	£25	\$65-00
Series B—Plant Nematology (Quarterly)	£10	\$26-00
<i>World Agricultural Economics and Rural Sociology Abstracts</i> (WAERSA) (Quarterly)	£22	\$57-00
<i>Animal Breeding Abstracts</i> (Quarterly)	£30	\$78-00
<i>Veterinary Bulletin</i> (Monthly)	£35	\$91-00
<i>Index Veterinarius</i> (Quarterly) Vol. 39	£22-50	\$58-50
(Monthly) Vol. 40	£45-00	\$117-00
<i>Nutrition Abstracts and Reviews</i> (Quarterly)	£45	\$117-00
<i>Dairy Science Abstracts</i> (Monthly)	£30	\$78-00
<i>Forestry Abstracts</i> (Quarterly)	£40	\$104-00
<i>Horticultural Abstracts</i> (Quarterly)	£35	\$91-00
<i>Herbage Abstracts</i> (Quarterly)	£20	\$52-00
<i>Field Crop Abstracts</i> (Quarterly)	£25	\$65-00
<i>Plant Breeding Abstracts</i> (Quarterly)	£35	\$91-00
<i>Soils and Fertilizers</i> (Alternate months)	£35	\$91-00
<i>Weed Abstracts</i> (Alternate months)	£20	\$52-00
<i>Food Science and Technology Abstracts</i>	£100	\$260-00
(produced in collaboration with Institut für Dokumentationswesen and Institute of Food Technologists) (Monthly)		

All the above journals are obtainable (post free) from :

CENTRAL SALES BRANCH

COMMONWEALTH AGRICULTURAL BUREAUX

FARNHAM ROYAL, BUCKS SL2 3BN, ENGLAND

*The following Governments contribute to the Commonwealth Agricultural Bureaux : The United Kingdom of Great Britain and Northern Ireland, Canada, Australia, New Zealand, India, Sri Lanka, Ghana, Malaysia, Nigeria, Cyprus, Sierra Leone, Tanzania, Jamaica, Trinidad and Tobago, Uganda, Kenya, Malawi, Zambia, The Gambia, Guyana, Botswana, Barbados, Mauritius, Swaziland, Fiji, Dependent Territories and the Republic of Ireland (Associate Government). The Associated States of the Eastern Caribbean have been invited to become members of C.A.B.

The Commonwealth Bureau of Pastures and Field Crops

HURLEY, MAIDENHEAD, BERKS SL6 5LR

The Commonwealth Bureau of Pastures and Field Crops is located at the Grassland Research Institute, Hurley, and is one of a group of 11 Bureaux and 3 Institutes which together form the Commonwealth Agricultural Bureaux, an organization financed and administered jointly by the various Commonwealth Governments and Dependent Territories and which provides an information service covering all the major branches of agricultural science.

The Bureau prepares two quarterly journals, *Field Crop Abstracts* and *Herbage Abstracts*, for publication by the Commonwealth Agricultural Bureaux, Farnham Royal, Bucks. These journals contain abstracts of the research findings reported in the world scientific literature on annual field crops, pastures, herbage plants and rangelands and provide both a comprehensive guide to current scientific and technological developments in their subjects and a key to the literature published in the past. In addition to abstracts, the Bureau also issues reviews and monographs on selected subjects.

Scope of Field Crop Abstracts. The subjects covered include the agronomy and botany of all annual field crops grown for food, fodder, oil and fibre, and of tobacco and green manures. Land use, farming systems, agricultural meteorology and the control of weeds, pests and diseases are dealt with only in so far as they concern the crop coverage.

Services offered. The Bureau undertakes to provide bibliographies on subjects within its scope.

Director

P. J. Boyle, M.A. (Agric.) (Cantab.)

Assistant Director

A. C. Trueblood, B.A. (Cantab.), A.I.C.T.A.

Scientific Information Officers

J. Armstrong, M.A. (Agric.), Dip. Agric. (Cantab.), D.T.A. (Trinidad)

R. Boyce, B.Sc. (Dunelm), M.I.Inf.Sc.

Mrs. G. M. Craig, B.Sc. (Liverpool)

M. R. Hails, B.Sc. (Agric.) (Nottm), Dip. Agric. Econ. (Reading), M.I.Inf.Sc.

R. J. Lewington, Ph.D. (Southampton)

M. S. Mahal, B.Sc. Agric. (Punjab), Ph.D. (Moscow)

Miss F. A. Stitson, B.Sc. (Exon)

Indexers

N. J. Pryor, B.Sc. (Agric.) (Wales)

C. G. Waldock, O.B.E., B.A. (Cantab.)

Consultant Director

E. K. Woodford, O.B.E., M.Sc. (Alberta), Ph.D. (Lond.),
Director, Grassland Research Institute, Hurley, Berkshire.

Other abstractors contributing to this issue :

G. K. Argles, Dip. Hort. (Wye), A.I.C.T.A.

Mrs. E. Biasutti Owen (Dr., Milan)

A. V. Bogdan, Cand. Biol. Sci. (Rostov), F.L.S.

T. I. Emecz, B.Sc.

P. C. Hodgson, M.A. (Cantab.)

C. C. Tanner, B.Sc., Ph.D.

The Executive Council of the Commonwealth Agricultural Bureaux is a signatory to the Fair Copying Declaration details of which can be obtained from The Royal Society, 6 Carlton House Terrace, London, S.W.1.

The Commonwealth Agricultural Bureaux Organization does not accept responsibility for any trade advertisement included in this publication.

© Commonwealth Agricultural Bureaux, 1972. All rights reserved. No part of this publication may be reproduced in any form or by any means, electronically, mechanically, by photo-copying, recording or otherwise, without the prior permission of the copyright owner.

NOTES TO READERS

Changes have been made in Headings and in Abstract citations to facilitate a change to computer printing in the near future.

The address given at the end of abstract citations is that of the first author at the time of writing and is normally where the work was carried out.

Transliteration of Cyrillic script is based on the International Standard ISO/R9 1968 (E)

The titles of periodicals and reports conform where possible to those given in the *World List of Scientific Periodicals* (4th Edn; London: Butterworth) and are listed in *Field Crop Abstracts* Vol. 25, No. 1, pp. xix-xlv; they can also be obtained as a separate from the Bureau of Pasture and Field Crops, Hurley, Maidenhead SL6 5LR, price 25p.

One-side-only copies of *Field Crop Abstracts* are available at £2.00 above the annual subscription rate.

LANGUAGE SYMBOLS

The language symbols used are listed below. An initial capital letter denotes the main language of a paper, a small letter the language of the summary(ies).

Afrikaans	Af	German	De	Persian	Pe
Albanian	Al	Greek	Gr	Polish	Pl
Arabic	Ar	Hebrew	He	Portuguese	Pt
Armenian	Am	Hungarian	Hu	Roumanian	Ro
Azerbaïdzhani	Az	Icelandic	Is	Russian	Ru
Belorussian	Be	Indonesian	In	Serbo-croat	Sh
Bulgarian	Bg	Interlingua	Ia	Sinhala	Si
Chinese	Ch	Italian	It	Slovak	Sk
Czech	Cs	Japanese	Ja	Slovenian	Sn
Danish	Da	Kazakh	Ka	Spanish	Es
Dutch	Nl	Korean	Ko	Swedish	Sv
English	En	Latin	La	Tadzhik	Ta
Esperanto	Eo	Latvian	Lv	Thai	Th
Estonian	Ee	Lithuanian	Li	Turkish	Tr
Finnish	Fi	Macedonian	Ma	Turkmen	Tm
French	Fr	Malay	My	Ukrainian	Uk
Georgian	Ge	Norwegian	No	Uzbek	Uz

ABBREVIATIONS

The abbreviations used for the names of common units, mathematical operations, chemical elements, etc., are in accordance with British Standard 1991 : 1967. The following additional abbreviations are also used :

a.e.	—	acid equivalent	FCA	—	<i>Field Crop Abstracts</i>
a.i.	—	active ingredient	LAI	—	leaf-area index
alt.	—	altitude	LAR	—	leaf-area ratio
cv.	—	cultivar(s)	NAR	—	net assimilation rate
DM	—	dry matter	OM	—	organic matter
F . . . s	—	from . . . summary	RGR	—	relative growth rate
f.y.m.	—	farmyard manure			

FIELD CROP ABSTRACTS

Vol. 25, Nos 1, 2, 3, 4, 1972

SUMMARY OF CONTENTS

REVIEW ARTICLES

	Pages
Swedes and turnips. I. H. McNAUGHTON AND R. F. THOW	1
Grain sorghum in the USA. W. M. ROSS AND J. D. EASTIN	169
Buckwheat. H. DE JONG	389

ABSTRACT SECTION

	Pages		Pages
CEREALS		FIBRE CROPS	
Wheat	13 175 397 641	Cotton	116 330 556 788
Oats	33 207 423 666	Fibre flax	124 341 572 801
Rye	35 211 427 669	Hemp	125 342 574 801
Triticale	36 214 428	Jute	126 343 574 801
Barley	36 215 428 670	Sunn hemp	343 575 802
Maize	43 224 436 682	Kenaf	127 343 575 802
Sweet corn	56 245 456 702	Roselle	576 802
Rice	56 245 456 703	<i>Sida hermaphrodita</i>	802
Sorghum	64 266 482 718	OILSEED CROPS	
<i>Pennisetum typhoides</i>	66 268 487 722	Castor	127 344 576 802
<i>Panicum miliaceum</i>	66 269 487 723	Sesame	128 344 576 803
<i>Eleusine coracana</i>	67 270 488 724	Oilseed flax	128 345 577 803
<i>Echinochloa frumentacea</i>	67 488 724	Safflower	129 577 804
<i>Paspalum scrobiculatum</i>	67 489 724	Sunflower	129 346 578 804
<i>Setaria italica</i>	270	Rape	130 348 582 807
<i>Eragrostis</i> spp.	489	Crambe	351 808
<i>Euchlaena mexicana</i>	67 270 489 724	<i>Brassica campestris</i>	132 351 584 808
General		<i>Brassica juncea</i>	351 584 808
		<i>Sinapis alba</i>	132 351 585 809
LEGUMES		Poppy	133 352 585
Cowpeas	71 274 493 726	<i>Camelina sativa</i>	352 586
Soyabeans	71 274 493 727	<i>Eruca sativa</i>	353 586 810
Groundnuts	78 285 500 737	<i>Vernonia anthelmintica</i>	133 353 586 810
Peas	80 288 504 741	General	
<i>Vicia faba</i>	84 294 511 748	MISCELLANEOUS CROPS	
<i>Vicia sativa</i>	85 296 749	Tobacco	133 354 587 810
<i>Vicia</i> spp., general	85 297 513 750	<i>Brassica oleracea</i>	140 360 601
<i>Phaseolus vulgaris</i>	302	Buckwheat	140 361 602 815
<i>Phaseolus angularis</i>	90 302 521 756	Quinoa	602
<i>Phaseolus aureus</i>	522	GREEN MANURES	
<i>Phaseolus calcaratus</i>	303 522 757	CROP BOTANY	
<i>Phaseolus mungo</i>	757	Physiology	141 362 603 816
<i>Phaseolus</i> spp., general	522	Chemical composition	146 368 608 820
<i>Voandzeia subterranea</i>	91 303 522 757	Morphology and anatomy	146 608
<i>Cajanus cajan</i>	91 303 522 757	Environmental factors	146 369 609 821
<i>Cicer arietinum</i>	91 304 523 758	Nodulation	148 371 610 823
<i>Lens esculenta</i>	92 305 524 758	Radiobiology	148 610
<i>Lupinus</i> spp.	92 524	Taxonomy	149 611 823
<i>Cyamopsis tetragonoloba</i>	93 305 759	Techniques and apparatus	149 372 611 823
<i>Canavalia</i> spp.	306 525	Miscellaneous	826
<i>Lablab niger</i>	760	WEEDS	
<i>Lathyrus sativus</i>	93 306 525 760	SURVEYS AND LAND USE	
<i>Trigonella foenum-graecum</i>	93 306 525 760	FARMING SYSTEMS	
General		SOIL AND WATER	
ROOT CROPS		CONSERVATION	155 379 620 833
Sugar beet	94 306 527 761	AGROMETEOROLOGY	
Fodder beet	101 313 537 770	MISCELLANEOUS	
Turnips and swedes	101 313 537 771	REPORTS	157 382 624
Potatoes	102 314 538 771	MEETINGS	157 382 624 835
Sweet potatoes	114 327 553 787	BOOKS	158 384 627 838
Cassava	116 328 554 788	ANNUAL SUBJECT INDEX	851
Yams	116 329 555	ANNUAL AUTHOR INDEX	891
Cocoyams	555 788		
<i>Amorphophallus campanulatus</i>	116		
<i>Tropaeolum tuberosum</i>	788		
General	329 555		

ANNOTATED BIBLIOGRAPHIES FOR SALE

The price per copy includes the cost of postage by surface mail.

(For annotated bibliographies on grasslands, pasture plants and fodder crops please see *Herbage Abstracts*.)

Number	Subject	No. of	Period	Price	
		refs	covered	Dollars	Sterling
999	Effects of N, P and soil moisture on the vegetative growth of wheat, oats, barley and rye	104	1958-67	\$2-60	£1-00
1016	Potatoes, effects of size of tuber and cut v. entire tubers on yield and growth	56	1958-71	\$1-30	£0-50
1018	Production of cassava	42	1951-69	\$1-10	£0-40
1024	Temperate oil-seed rape crops	199	1960-66	\$5-00	£1-90
1025	Oil synthesis in crops: environmental effects	74	1958-66	\$1-90	£0-70
1037	Techniques for the study of roots	52	1960-67	\$1-30	£0-50
1042	Potatoes: tuber size and grading	31	1959-69	\$0-80	£0-30
1046	Seed dormancy in groundnuts	19	1937-68	\$0-80	£0-30
1047	Effect of water stress on the growth and development of groundnuts	21	1957-67	\$0-80	£0-30
1049	Tania, (<i>Xanthosoma</i> spp.)	22	1956-70	\$0-80	£0-30
1050	Cocoyams (<i>Colocasia</i> spp.)	60	1956-70	\$1-60	£0-60
1075	Factors affecting the composition of groundnut seed	39	1951-69	\$0-80	£0-30
1079	Bambara groundnuts (<i>Voandzeia subterranea</i>)	13	1959-67	\$0-80	£0-30
1098	Composition of barley grain and straw in relation to quality and yield	134	1957-68	\$3-40	£1-30
1102	Zinc deficiency in annual field crops and pastures	29	1966-68	\$0-80	£0-30
1105	Ratooning of cotton	12	1948-67	\$0-80	£0-30
1111	Foliar analysis in cotton	27	1958-68	\$0-80	£0-30
1115(1)	Lodging in cereals—Wheat	64	1959-68	\$1-60	£0-60
1115(2)	—Barley	34	1959-68	\$0-80	£0-30
1115(3)	—Oats	23	1959-68	\$0-80	£0-30
1115(4)	—Maize	20	1959-68	\$0-80	£0-30
1115(5)	—Rice	36	1959-68	\$0-80	£0-30
1115(6)	—Miscellaneous (including rye and sorghum)	13	1959-68	\$0-80	£0-30
1124	Leaf area measurement	68	1959-70	\$1-60	£0-60
1128	Cereal yield estimation	78	1948-68	\$1-90	£0-70
1134	Aerial photography: crops and vegetation	29	1947-68	\$0-80	£0-30
1136	Kale	122	1964-68	\$3-20	£1-20
1137	Field beans (<i>Vicia faba</i>)	133	1956-70	\$3-40	£1-30
1138	Fodder-beet	133	1958-68	\$3-40	£1-30
1140	The effect of temperature on the germination of oats	10	1948-68	\$0-80	£0-30
1144	Research on soyabeans in Europe and the USSR	78	1960-68	\$1-90	£0-70
1151	Wheat grain quality	160	1964-68	\$4-20	£1-60
1159	Depth of sowing of wheat, barley, oats and rye	37	1949-68	\$0-80	£0-30
1163	The date of sowing wheat in autumn in N. Europe	25	1950-68	\$0-80	£0-30
1166	Foliar contamination by radioactive substances	79	1953-68	\$1-90	£0-70
1172	Sweet potatoes	285	1960-68	\$7-30	£2-80
1173	Nitrate in forage and fodder crops	117	1951-69	\$2-90	£1-10
1175	Application of sewage and factory effluents and sewage sludge to grassland and crops	48	1941-69	\$1-10	£0-40
1182(1)	Water requirements of crops—Rice	106	1960-70	\$2-60	£1-00
1182(2)	—Wheat	118	1960-69	\$2-90	£1-10
1182(3)	—Maize	85	1965-69	\$2-10	£0-80
1182(4)	—Sorghum and millets	44	1960-69	\$1-10	£0-40
1182(5)	—Cotton (including hemp and jute)	127	1960-69	\$3-20	£1-20
1182(6)	—Soyabeans	58	1960-69	\$1-30	£0-50
1182(7)	—Groundnuts	31	1960-69	\$0-80	£0-30
1182(8)	—Sunflower	20	1960-69	\$0-80	£0-30
1182(9)	—Methods for determining	95	1960-69	\$2-40	£0-90
1193	Seed germination and water stress, with special reference to laboratory techniques	45	1965-69	\$1-10	£0-40
1198	Sulphur nutrition in wheat and barley	16	1962-69	\$0-80	£0-30
1203	Stomatal studies in cereals	40	1959-69	\$1-10	£0-40
1204	Malting barley, factors affecting grain quality	218	1960-70	\$5-50	£2-10
1209	Castor (<i>Ricinus communis</i>)	87	1963-70	\$2-10	£0-80
1210	Mung beans (<i>Phaseolus aureus</i>)	74	1950-70	\$1-90	£0-70
1214	Storage of ware potatoes	150	1960-70	\$3-90	£1-50

ANNOTATED BIBLIOGRAPHIES FOR SALE

(CONTINUED)

Number	Subject	No. of		Period covered	Price	
		refs	covered		Dollars	Sterling
1216	Potato production in relation to processing	67	1952-70		\$1.60	£0.60
1219	Storage of swedes	5	1950-70		\$0.80	£0.30
1220	<i>Dolichos</i> spp.	20	1960-69		\$0.80	£0.30
1221	<i>Lablab niger</i> (= <i>Dolichos lablab</i> , <i>Lablab vulgaris</i>)	62	1960-69		\$1.60	£0.60
1222	<i>Stizolobium</i> spp.	94	1955-69		\$2.40	£0.90
1228	Chickpea	112	1951-70		\$2.90	£1.10
1230	Windbreaks in the tropics	26	1947-70		\$0.80	£0.30
1236	The effect of manganese on maize	32	1960-70		\$0.80	£0.30
1237	The effect of manganese on cotton	28	1960-70		\$0.80	£0.30
1238	Bolting of sugar-beet	48	1950-70		\$1.10	£0.40
1239	Preharvest desiccation of field crops	78	1960-70		\$1.90	£0.70
1241	<i>Phaseolus mungo</i>	34	1962-70		\$0.80	£0.30
1243	Job's tears (<i>Coix lachryma-jobi</i>)	16	1948-70		\$0.80	£0.30
1247(1)	Frost resistance in crops—Wheat	217	1960-70		\$5.50	£2.10
1247(2)	—Oats	28	1960-71		\$0.80	£0.30
1247(3)	—Rye	35	1960-70		\$1.10	£0.40
1247(4)	—Barley	81	1956-71		\$2.60	£1.00
1247(5)	—Maize	47	1956-71		\$1.60	£0.60
1247(6)	—Potatoes	28	1961-71		\$0.80	£0.30
1247(7)	—Oilseed rape	33	1956-71		\$0.80	£0.30
1249	Reclamation and re-vegetation of industrial waste land	61	1952-71		\$1.60	£0.60
1250	Sand-binding and stabilization of sand dunes	96	1952-71		\$2.40	£0.90
1252	<i>Phaseolus radiatus</i>	31	1951-70		\$0.80	£0.30
1253	Pigeon peas (<i>Cajanus cajan</i>)	66	1959-70		\$1.60	£0.60
1254	<i>Phaseolus</i> spp. (except <i>P. atropurpureus</i> , <i>P. aureus</i> , <i>P. mungo</i> , <i>P. radiatus</i> and <i>P. vulgaris</i>)	49	1950-70		\$1.10	£0.40
1255	Cowpeas (<i>Vigna unguiculata</i>)	163	1962-70		\$4.20	£1.60
1256	Plant species for soil conservation	321	1950-71		\$8.40	£3.20
1259	Effect of seed moisture content and storage conditions on viability of stored rice seeds	62	1953-70		\$1.60	£0.60
1260	Continuous cropping of wheat	39	1954-70		\$0.80	£0.30
1264	Irrigation of potatoes	135	1953-71		\$3.40	£1.30
1266	Effect of seed rate, row width and spacing on wheat, barley and oats	257	1958-71		\$6.50	£2.50
1267(1)	Boron nutrition in crops—Wheat	39	1960-71		\$0.80	£0.30
1267(2)	—Maize	41	1962-71		\$1.10	£0.40
1267(3)	—Rice	11	1962-71		\$0.80	£0.30
1267(4)	—Sugar beet	39	1962-71		\$0.80	£0.30
1273	Protein and amino acid content of potato tubers	74	1954-71		\$1.90	£0.70
1275(1)	Effect of seed size and sowing method on—Wheat	73	1962-71		\$1.90	£0.70
1275(2)	—Barley	41	1960-71		\$1.10	£0.40
1275(3)	—Oats	9	1960-71		\$0.80	£0.30
1276	Safflower (<i>Carthamus tinctorius</i>)	35	1969-72		\$0.80	£0.30
1277	Potatoes in the tropics and subtropics: Agronomy and post- harvest treatment	164	1953-72		\$4.20	£1.60
1278	Antitranspirants	25	1963-72		\$0.80	£0.30
1279	Defoliation of soyabeans	15	1949-71		\$0.80	£0.30
1281	Kenaf (<i>Hibiscus cannabinus</i>)	119	1952-71		\$2.90	£1.10
1286	Continuous cropping of barley	28	1958-72		\$0.80	£0.30
1287(1)	Arable rotations in the tropics	110	1960-71		\$2.90	£1.10
1287(2)	Arable-ley rotations in the tropics	31	1960-71		\$0.80	£0.30
1287(3)	Arable-fallow rotations in the tropics	57	1960-71		\$1.30	£0.50
1288	Nodulation in cowpeas (<i>Vigna unguiculata</i>)	28	1955-71		\$0.81	£0.30
1289	Nodulation and nitrogen fixation in soyabeans (<i>Glycine max</i>)	94	1959-71		\$2.40	£0.90
1294	Drought resistance induced by seed treatment	50	1957-71		\$1.30	£0.50
1295	Nutrient deficiencies in groundnuts	83	1962-72		\$2.10	£0.80
1296	Lead pollution in field crops	12	1956-72		\$0.80	£0.30
1297	Lentils (<i>Lens esculenta</i>)	124	1950-72		\$3.20	£1.20
1298	Guar (<i>Cyamopsis tetragonoloba</i>)	101	1952-72		\$2.60	£1.00

Orders for the above should be sent to:

Commonwealth Bureau of Pastures and Field Crops, Hurley, Maidenhead, Berks SL6 5LR, England

REVIEW ARTICLE REPRINTS FOR SALE

50p (\$1.40) per copy, post free

- Buckwheat. H. de Jong (1972)
Grain sorghum in the USA. W. M. Ross and J. D. Eastin (1972)
Swedes and turnips. I. H. McNaughton and R. F. Thow (1972)
Cold stress and wheat production. W. V. Single (1971)
Recent developments in the establishment of sugar-beet stands. R. Hull and K. W. Jaggard (1971)
Oat improvement—recent research and developments. D. A. Lawes (1971)
The effects of temperature on the growth and development of rice. P. C. Owen (1971)
Taro (*Colocasia esculenta*). D. L. Plucknett, R. S. de la Peña and F. Obrero (1970)
Cassava in Africa. D. L. Jennings (1970)
Lupins as a field crop. J. S. Gladstones (1970)
Bambara groundnut (*Voandzeia subterranea*). F. N. Hepper (1970)
Jute. M. S. Sarma (1969)
Oil-seed crops in Britain. E. S. Bunting (1969)
Safflower. D. F. Beech (1969)
The effects of daylength upon the development and growth of wheat, barley and oats. E. J. M. Kirby (1969)
Physiological concepts for high soyabean yields. C. R. Weber (1968)
Seed dormancy problems in cereals. B. Belderok (1968)
CCC and cereals. E. C. Humphries (1968)
Maize in Europe. E. S. Bunting (1968)
The effect of weather on the growth of barley. L. P. Smith (1967)
Sesame. A. J. Tribe (1967)
Physiological approaches to yield determination in wheat and barley. R. H. M. Langer (1967)
Rice production and world hunger. J. Vallega (1967)
The effect of shelter on the productivity of grasslands and field crops. Parts 1 and 2. J. K. Marshall (1967)
Tobacco. A review of some recent developments, with particular reference to flue-cured tobacco. B. C. Akehurst (1966)
Cotton and cotton research in Africa. J. M. Munro (1966)
Scientific and technical periodicals on agriculture and agricultural biology published in the USSR. I. V. Larin (1966)
Poppy cultivation. Bengt Lööf (1966)
Hybrid grain sorghum for eastern and southern Africa. H. Doggett (1965)
Sorghum in West Africa. D. L. Curtis (1965)
Light and crop production. J. L. Monteith (1965)
The kale crop in Great Britain. L. A. Willey (1964)
Drought resistance of crop plants. L. H. May and F. L. Milthorpe (1962)
Photosynthesis and the theory of obtaining high crop yields. A. A. Ničiporovič. An abstract with commentary by J. A. Black and D. J. Watson (1960)

Orders for the above should be sent to :

Commonwealth Bureau of Pastures and Field Crops, Hurley, Maidenhead, Berks SL6 5LR, England